

Corrigenda and Addenda

# Correction: Computer-Aided Detection for Breast Cancer Screening in Clinical Settings: Scoping Review

Rafia Masud, BSc (Hons); Mona Al-Rei, MSc, MD; Cynthia Lokker, BSc (Hons), MSc, PhD

Health Information Research Unit, Department of Health Research Methods, Evidence, and Impact, McMaster University, Hamilton, ON, Canada

**Corresponding Author:**

Cynthia Lokker, BSc (Hons), MSc, PhD

Health Information Research Unit

Department of Health Research Methods, Evidence, and Impact

McMaster University

CRL 137

1280 Main St W

Hamilton, ON, L8S 4K1

Canada

Phone: 1 905 525 9140 ext 22208

Email: [lokkerc@mcmaster.ca](mailto:lokkerc@mcmaster.ca)

**Related Article:**

Correction of: <https://medinform.jmir.org/2019/3/e12660/>

(*JMIR Med Inform* 2019;7(3):e15799) doi: [10.2196/15799](https://doi.org/10.2196/15799)

In “Computer-Aided Detection for Breast Cancer Screening in Clinical Settings: Scoping Review” (*JMIR Med Inform* 2019;7(3):e12660) in the Results section under the subheading “Interpretation Time and Recall Rates”, the phrase “Use of CAD concurrently with digital breast tomosynthesis increased the reading time by 29.2%...” has been replaced by “Use of CAD concurrently with digital breast tomosynthesis reduced the reading time by 29.2%...”.

The correction will appear in the online version of the paper on the JMIR website on August 21, 2019, together with the publication of this correction notice. Because this was made after submission to PubMed, PubMed Central, and other full-text repositories, the corrected article also has been resubmitted to those repositories.

*This is a non-peer-reviewed article. Submitted 08.08.19; accepted 12.08.19; published 21.08.19.*

**Please cite as:**

Masud R, Al-Rei M, Lokker C

Correction: Computer-Aided Detection for Breast Cancer Screening in Clinical Settings: Scoping Review

*JMIR Med Inform* 2019;7(3):e15799

URL: <http://medinform.jmir.org/2019/3/e15799/>

doi: [10.2196/15799](https://doi.org/10.2196/15799)

PMID: [31436164](https://pubmed.ncbi.nlm.nih.gov/31436164/)

©Rafia Masud, Mona Al-Rei, Cynthia Lokker. Originally published in *JMIR Medical Informatics* (<http://medinform.jmir.org>), 21.08.2019. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in *JMIR Medical Informatics*, is properly cited. The complete bibliographic information, a link to the original publication on <http://medinform.jmir.org/>, as well as this copyright and license information must be included.