

Retraction

Retraction: Application of Robot Positioning for Cannulated Screw Internal Fixation in the Treatment of Femoral Neck Fracture: Retrospective Study

JMIR Publications Editorial Office

JMIR Publications, Toronto, ON

Corresponding Author:

JMIR Publications
130 Queens Quay East, Suite 1100-1102
Toronto, ON
Phone: 1 4165832040
Email: ed-support@jmir.org

Related Article:

Retraction of: <https://medinform.jmir.org/2021/1/e24164>
(*JMIR Med Inform 2026;14:e102057*) doi: [10.2196/102057](https://doi.org/10.2196/102057)

The JMIR Publications Editorial Office is retracting the article “Application of Robot Positioning for Cannulated Screw Internal Fixation in the Treatment of Femoral Neck Fracture: Retrospective Study” [1].

This action is being taken due to identified concerns regarding potential manipulation of the submission process and the integrity of the peer-review process.

The authors were contacted and offered an opportunity to comment on these findings and the proposed retraction but did not respond to any attempts at communication.

Reference

1. Wan L, Zhang X, Wu D. Retracted: application of robot positioning for cannulated screw internal fixation in the treatment of femoral neck fracture: retrospective study. *JMIR Med Inform*. 2021;9(1):e24164.

This is a non-peer-reviewed article. Submitted 21.May.2026; accepted 21.May.2026; published 16.Jun.2026.

Please cite as:

JMIR Publications Editorial Office

Retraction: Application of Robot Positioning for Cannulated Screw Internal Fixation in the Treatment of Femoral Neck Fracture: Retrospective Study

JMIR Med Inform 2026;14:e102057

URL: <https://medinform.jmir.org/2026/1/e102057>

doi: [10.2196/102057](https://doi.org/10.2196/102057)

PMID:

©JMIR Publications Editorial Office. Originally published in JMIR Medical Informatics (<https://medinform.jmir.org>), 16.Jun.2026. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in JMIR Medical Informatics, is properly cited. The complete bibliographic information, a link to the original publication on <https://medinform.jmir.org/>, as well as this copyright and license information must be included.